

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10-7-2015 Revision date: 18-10-2021 Supersedes version of: 30-9-2019 Version: 3.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : BS4 INK CYAN

UFI : EUC1-SE1H-X20S-GG25

Product code : BS4-C-60
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Title	Use descriptors
BS4 INK CYAN	SU0, PC18, PROC1

Full text of use descriptors: see section 16

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Mimaki Europe B.V. Stammerdijk 7E 1112 AA Diemen Netherlands T +31 20 4627640

reach@mimakieurope.com

### 1.4. Emergency telephone number

Emergency number : National Poisons Information Centre +31 (0)30 - 274 8888

(Only for the purpose of informing medical personnel in cases of accidental intoxications.

The emergency phone number is 24 hours/day available.)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

18-10-2021 (Revision date) EN (English) 1/11

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains y-Butyrolactone Hazard statements (CLP)

Precautionary statements (CLP) : P280 - Wear eye protection, face protection.

> P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

: H318 - Causes serious eye damage.

#### 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	(% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
γ-Butyrolactone	CAS-No.: 96-48-0 EC-No.: 202-509-5 REACH-no: 01-2119471839- 21	10 – 20	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical First-aid measures general

advice (show the label where possible).

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact Rinse immediately with plenty of water for 15 minutes. Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Ventilate area. **Emergency procedures** 

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Methods for cleaning up

Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container in a cool, well ventilated place away from : Keep Storage conditions

container closed when not in use.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

18-10-2021 (Revision date) EN (English) 3/11

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

No additional information available

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

γ-Butyrolactone (96-48-0)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	958 mg/m³
Long-term - systemic effects, dermal	19 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	130 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	340 mg/m³
Long-term - systemic effects,oral	8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	28 mg/m³
Long-term - systemic effects, dermal	8 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,056 mg/l
PNEC aqua (marine water)	0,0056 mg/l
PNEC aqua (intermittent, freshwater)	0,56 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,24 mg/kg dwt
PNEC sediment (marine water)	0,02 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,014683 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	452 mg/l

### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

# 8.2.2. Personal protection equipment

### Personal protective equipment:

Safety glasses. Protective clothing. Gloves.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

### Eye protection:

Chemical goggles or safety glasses (acc. EN 166)

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Where contact with eyes or skin is likely, wear suitable protection

#### Hand protection:

Wear rubber gloves (0.75mm). Breakthrough time (EN 374-3:2003): > 480 min (www.echa.europa.eu)

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

#### 8.2.2.4. Thermal hazards

Particle agglomeration state

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Cyan. Not available Odour Odour threshold Not available Melting point Not available Freezing point Not available Boiling point Not available Flammability Non flammable. **Explosive limits** : Not available Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available Flash point : > 100 °C Auto-ignition temperature : Not available : Not available Decomposition temperature : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50 °C : Not available : Not available Density Relative density : Not available Relative vapour density at 20 °C : Not available Particle size : Not applicable Particle size distribution : Not applicable : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state

: Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Particle specific surface area : Not applicable
Particle dustiness : Not applicable

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 14 %

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Not established. Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Acute toxicity (irrialation)	. Not classified	
29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (147-14-8)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Soybean oil, expoxidized (8013-07-8)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
γ-Butyrolactone (96-48-0)		
LD50 oral rat	1582 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LC50 Inhalation - Rat	> 5,1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
1-ethoxy-2-(2-methoxyethoxy)ethane (1002-67-1)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal
EDOU domand	Toxicity)
LC50 Inhalation - Rat	> 5,14 mg/l air Animal: rat, Guideline: EU Method B.2 (Acute Toxicity (Inhalation))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye damage.
Additional information	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
γ-Butyrolactone (96-48-0)	
NOAEL (chronic, oral, animal/male, 2 years)	225 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:NTP Protocol,
	Remarks on results: other:Effect type: carcinogenicity (migrated information)
NOAEL (chronic, oral, animal/female, 2 years)	450 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:NTP Protocol,
,,,,,,,,	Remarks on results: other:Effect type: carcinogenicity (migrated information)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
γ-Butyrolactone (96-48-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
29H,31H-phthalocyaninato(2-)-N29,N30,N3	1,N32 copper (147-14-8)
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:Guideline for 28-Day Repeated Dos
	Toxicity Test in Mammalian Species (Chemical Substances Control Law of Japan)
Soybean oil, expoxidized (8013-07-8)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined
• • • • • • • • • • • • • • • • • • • •	Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening
	Test)
γ-Butyrolactone (96-48-0)	•
NOAEL (oral, rat, 90 days)	225 – 450 mg/kg bodyweight/day
1-ethoxy-2-(2-methoxyethoxy)ethane (1002	2-67-1)
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated
• • • • • • •	Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard	: Not classified

### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

# SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

18-10-2021 (Revision date) EN (English) 7/11

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (147-14-8)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
LC50 - Fish [2]	355,6 mg/l Test organisms (species): other:Oncorhynchus mykiss (formerly named: Salmo gairdneri)	
EC50 - Crustacea [1]	> 500 mg/l Test organisms (species): other:Daphnia magna Straus	
EC50 - Crustacea [2]	> 500 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	> 1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	≥ 1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
γ-Butyrolactone (96-48-0)		
LC50 - Fish [1]	56 mg/l Test organisms (species): Lepomis macrochirus	
EC50 - Crustacea [1]	> 500 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (acute)	< 7,81 mg/l 72h	
NOEC (acute)	> 18 mg/l 96h	
1-ethoxy-2-(2-methoxyethoxy)ethane (1002-67-1)		
LC50 - Fish [1]	> 90,8 mg/l Test organisms (species): Oryzias latipes	
EC50 - Crustacea [1]	> 93,6 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 89,5 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

γ-Butyrolactone (96-48-0)	
Partition coefficient n-octanol/water (Log Pow)	-0,566 @ 25 °C and pH 6 - 8

### 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

# Safety Data Sheet

Ecology - waste materials

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Dispose of this

material and its container at hazardous or special waste collection point.

: Avoid release to the environment.

European List of Waste (LoW) code : 08 03 12\* - waste ink containing dangerous substances

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

### **Overland transport**

No data available

### Transport by sea

No data available

### Air transport

No data available

# Inland waterway transport

No data available

#### Rail transport

No data available

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	BS4 INK CYAN ; γ- Butyrolactone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 14 %

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
2.2	Precautionary statements (CLP)	Modified	
15.1	REACH Annex XVII	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:			
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
H302	Harmful if swallowed.		
H318	Causes serious eye damage.		
H336	May cause drowsiness or dizziness.		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		

Full text of use descriptors		
PC18	Ink and Toners	
PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions	
SU0	Other	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Eye Dam. 1	H318	Calculation method		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.