

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - **United Kingdom (UK)**

# SAFETY DATA SHEET

**LV8 Black**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product no.** : 1533428  
**Product name** : LV8 Black

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Printing inks, coatings, toners, and related materials

**Uses advised against:** Not Available

### 1.3 Details of the supplier of the safety data sheet

INX International Ink Co.  
150 N Martingale Rd, Suite 700  
Schaumburg  
Illinois  
60173  
United States  
**e-mail address of person responsible for this SDS** : MSDS@inxintl.com

### 1.4 Emergency telephone number

**24 Hour Emergency Phone** : 800.535.5053 INFOTRAC 24 Hour Spill and Emergency (+1 352 323 3500 outside of North America)

### National advisory body/Poison Center

**Telephone number** : Not available.  
**Hours of operation** : Not available.  
**Information limitations** : Not available.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute Tox. 4, H312 (dermal)  
Acute Tox. 4, H332 (inhalation)  
Eye Dam./Irrit. 2, H319

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

## 2.2 Label elements

<b>Hazard pictograms</b>	:	
<b>Signal word</b>	:	Warning
<b>Hazard statements</b>	:	Harmful in contact with skin or if inhaled. Causes serious eye irritation.

### Precautionary statements

<b>General</b>	:	Read label before use.
<b>Prevention</b>	:	Wear protective gloves. Wear eye or face protection. Wear protective clothing.
<b>Response</b>	:	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.
<b>Storage</b>	:	Not applicable.
<b>Disposal</b>	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>Hazardous ingredients</b>	:	2-butoxyethyl acetate cyclohexanone Propanol, 1(or 2)-(2-methoxymethylethoxy)-, acetate
<b>Supplemental label elements</b>	:	Not applicable.
<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	:	Not applicable.

### Special packaging requirements

<b>Containers to be fitted with child-resistant fastenings</b>	:	Not applicable.
<b>Tactile warning of danger</b>	:	Yes, applicable.

## 2.3 Other hazards

<b>Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII</b>	:	Not applicable.
<b>Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII</b>	:	Not applicable.
<b>Other hazards which do not result in classification</b>	:	None known.

## SECTION 3: Composition/information on ingredients

**3.1 Substances** : Not applicable

**3.2 Mixtures** : Mixture

Product/ingredient name	Identifiers	%	<u>Classification</u>	Type
			Regulation (EC) No. 1272/2008 [CLP]	
2-butoxyethyl acetate	EC:203-933-3 CAS : 112-07-2 Index:607-038-00-2	>=70 - <90	Acute Tox. 4, H312 (dermal) Acute Tox. 4, H332 (inhalation)	[1][2]
cyclohexanone	EC:203-631-1 CAS : 108-94-1 Index:606-010-00-7	>=7 - <10	Flam. Liq. 3, H226 Acute Tox. 4, H302 (oral) Acute Tox. 4, H332 (inhalation) Eye Dam./Irrit. 2, H319 Aquatic Chronic 3, H412	[1][2]
Carbon black	EC:215-609-9 CAS : 1333-86-4 Index:	>=2 - <3	Not classified. ,	[2]
2-methoxy-1-methylethyl acetate	EC:203-603-9 CAS : 108-65-6 Index:607-195-00-7	>=1 - <2	Flam. Liq. 3, H226	[2]
Propanol, 1(or 2)-(2-methoxymethylethoxy)-, acetate	EC: CAS : 88917-22-0 Index:	>=1 - <2	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 STOT SE 3, H335	[1]

### Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

See Section 16 for the full text of the R phrases or H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

**Occupational exposure limits, if available, are listed in Section 8.**

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

Version: 1.0

Date of issue/Date of revision: 15.12.2016

Date of previous issue: 00.00.0000

- Inhalation** : Continue to rinse for at least 10 minutes. Get medical attention.  
: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Potential acute health effects

- Eye contact** : Causes serious eye irritation.  
**Inhalation** : Harmful if inhaled.  
**Skin contact** : Harmful in contact with skin.  
**Ingestion** : Irritating to mouth, throat and stomach.

##### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.

**Ingestion** : No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  
**Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.  
**Unsuitable extinguishing media** : None known.

### 5.2 Special hazards arising from the substance or mixture

**Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst.  
**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide

### 5.3 Advice for firefighters

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.  
**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.  
**Additional information** : Not available.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.  
**For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

### 6.3 Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

- 6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

- : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### 7.3 Specific end use(s)

- Recommendations** : Not available.  
**Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

### 8.1 Control parameters

#### Occupational exposure limits

Product/ingredient name	Exposure limit values
2-butoxyethyl acetate cyclohexanone	<b>EU OEL (2000-06-01)</b> Time Weighted Average (TWA) 40,8 mg/m <sup>3</sup> , 10 ppm <b>EU OEL (2000-06-01)</b> Short Term Exposure Limit 81,6 mg/m <sup>3</sup> , 20 ppm <b>EH40-WEL (2003-05-01)</b> Notes: Biological monitoring guidance values Short Term Exposure Limit , 20 ppm <b>EH40-WEL (2003-05-01)</b> Notes: Biological monitoring guidance values Time Weighted Average (TWA) , 10 ppm
Carbon black	<b>EH40-WEL (1997-01-01)</b> Short Term Exposure Limit 7 mg/m <sup>3</sup> <b>EH40-WEL (1997-01-01)</b> Time Weighted Average (TWA) 3,5 mg/m <sup>3</sup>
2-methoxy-1-methylethyl acetate	<b>EU OEL (2000-06-01)</b> Time Weighted Average (TWA) 275 mg/m <sup>3</sup> , 50 ppm <b>EU OEL (2000-06-01)</b> Short Term Exposure Limit 550 mg/m <sup>3</sup> , 100 ppm <b>EH40-WEL (2001-12-01)</b> Short Term Exposure Limit 548 mg/m <sup>3</sup> , 100 ppm <b>EH40-WEL (2001-12-01)</b> Time Weighted Average (TWA) 274 mg/m <sup>3</sup> , 50 ppm

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following:  
 • European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy)  
 • European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents)  
 • European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to

national guidance documents for methods for the determination of hazardous substances will also be required.

**DNEL/DMEL Summary** : Not available.

**PNEC Summary** : Not available.

## 8.2 Exposure controls

**Appropriate engineering controls** : Use only with adequate ventilation.\20 Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.\20 Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.\20 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.\20 In some cases, fume scrubbers, filters or engineering modifications to the process



equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	:	liquid
Color	:	Black.
Odor	:	Not available.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point/freezing point	:	Not available.
Initial boiling point and boiling range	:	Not available.
Flash point	:	> 60 - 93 °C Not Measured. Flashpoint is estimated to be >60 to 93°C (>140 to 200°F).
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Upper/lower flammability or explosive limits	:	<b>Lower:</b> Not available. <b>Upper:</b> Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	0,97
Solubility(ies)	:	Not available.
Partition coefficient: n-octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	<b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.
Explosive properties	:	Not available.
Oxidizing properties	:	Not available.

### 9.2 Other information

Volatile.	:	84,37 %(m) Weight % 86,93 %(V) Volume %
VOC %	:	84,32 %(m) Weight % 86,88 %(V) Volume %
Coating VOC	:	6,83 lb/gal 819 g/l

## SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
-----------------	---	--

- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : No specific data.
- 10.5 Incompatible materials** : No specific data.
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Butoxyethyl Acetate				
	LD50 Oral	Rat	2.400 mg/kg	-
	LD50 Dermal	Rabbit	1.500 mg/kg	-
Cyclohexanone				
	LD50 Oral	Rat	1.800 mg/kg	-
	LC50 Inhalation	Rat	8.000 ppm	4 h
Carbon Black				
	LD50 Oral	Rat	15.400 mg/kg	-
Propylene Glycol Methyl Ether Acetate				
	LD50 Oral	Rat	8.532 mg/kg	-
	LD50 Oral	Rat	9.000 mg/kg	-
	LD50 Dermal	Rabbit	5.000 mg/kg	-
Dipropylene Glycol Monomethyl Ether Acetate				

**Conclusion/Summary** : Not available.

#### Acute toxicity estimates

Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-butoxyethyl acetate	Skin - Mild irritant	Rabbit	-		-
cyclohexanone	Eyes - Severe irritant	Rabbit	-	24 hrs	-
cyclohexanone	Skin - Mild irritant	Human	-	48 hrs	-
cyclohexanone	Skin - Mild irritant	Rabbit	-		-
cyclohexanone	Eyes - Severe irritant	Rabbit	-		-

**Conclusion/Summary**

- Skin** : Not available.
- Eyes** : Not available.
- Respiratory** : Not available.

**Sensitization**

**Conclusion/Summary**

- Skin** : Not available.
- Respiratory** : Not available.

**Mutagenicity**

- Conclusion/Summary** : Not available.

**Carcinogenicity**

- Conclusion/Summary** : Not available.

**Reproductive toxicity**

- Conclusion/Summary** : Not available.

**Teratogenicity**

- Conclusion/Summary** : Not available.

**Specific target organ toxicity (single exposure)**

Product/ingredient name	Category	Route of exposure	Target organs
Propanol, 1(or 2)-(2-methoxymethylethoxy)-, acetate	Category 3		Respiratory tract irritation

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

- Information on the likely routes of exposure** : Not available.

**Potential acute health effects**

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Harmful if inhaled.
- Skin contact** : Harmful in contact with skin.
- Ingestion** : Irritating to mouth, throat and stomach.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Eye contact** : Adverse symptoms may include the following:
  - pain or irritation
  - watering
  - redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.

Version: 1.0

Date of issue/Date of revision: 15.12.2016

Date of previous issue: 00.00.0000

**Ingestion** : No specific data.

### **Delayed and immediate effects and also chronic effects from short and long term exposure**

#### **Short term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### **Long term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### **Potential chronic health effects**

**Conclusion/Summary** : Not available.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

<b>Product/ingredient name</b>	<b>Result</b>	<b>Species</b>	<b>Exposure</b>
cyclohexanone			
	Acute LC50 630.000 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 732.000 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 527.000 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute EC50 32,9 mg/l Fresh water	Aquatic plants - Green algae	72 h

**Conclusion/Summary** : Not available.

### **12.2 Persistence and degradability**

**Conclusion/Summary** : Not available.

### **12.3 Bioaccumulative potential**

### **12.4 Mobility in soil**

**Soil/water partition coefficient  
(KOC)** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

- PBT** : P: Not available.  
 B: Not available.  
 T: Not available.
- vPvB** : vP: Not available.  
 vB: Not available.

- 12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

#### Product

- Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.

#### Packaging

- Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
- Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

Regulatory information	Proper shipping name	UN - Number	Hazard classification	Packing group	Additional information
ADN	Not classified.			-	
IATA	Not classified.			-	
IMDG	Not classified.			-	
ADR	Not classified.			-	

DOT (U.S.A.) (Pictograms)	Printing ink	UN1210	Combustible liquid.	III	DOT Exception 49 CFR 173.150(f)(2): A material classed as a combustible liquid in a non-bulk packaging (<119 gallons; < 450 L) may be shipped as a non-hazardous material unless the combustible liquid is a hazardous substance, a hazardous waste, or a marine pollutant.
Mexico Classification	Not classified.			-	
TDG Class	Not classified.			-	

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorization

Annex XIV: None of the components are listed.

#### Substances of very high concern:

##### Other EU regulations

Europe inventory : Not determined.  
 Integrated pollution prevention and control list (IPPC) - Air : Not listed  
 Integrated pollution prevention and control list (IPPC) - Water : Not listed

Aerosol dispensers : Not applicable.

#### Seveso II Directive

This product is not controlled under the Seveso II Directive.

#### National regulations

References : - Guide de la loi et du règlement sur le transport des marchandises dangereuses au Canada. Centre de conformité international Ltée. 1986.

#### International regulations

Chemical Weapons Convention : Not listed  
 List Schedule I Chemicals  
 Chemical Weapons Convention : Not listed  
 List Schedule II Chemicals  
 Chemical Weapons Convention : Not listed

Version: 1.0

Date of issue/Date of revision: 15.12.2016

Date of previous issue: 00.00.0000

**List Schedule III Chemicals**

**15.2 Chemical Safety Assessment** : This product contains substances for which Chemical Safety Assessments are still required.

**SECTION 16: Other information**

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DNEL = Derived No Effect Level  
 DMEL = Derived Minimal Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PBT = Persistent, Bioaccumulative and Toxic  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number  
 vPvB = Very Persistent and Very Bioaccumulative

**Key literature references and sources for data** : - Guide de la loi et du règlement sur le transport des marchandises dangereuses au Canada. Centre de conformité international Ltée. 1986.

**Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Classification	Justification
Acute Tox. 4, H312 (dermal)	Calculation method
Acute Tox. 4, H332 (inhalation)	Calculation method
Eye Dam./Irrit. 2, H319	Calculation method

**Full text of abbreviated H statements** :

<b>H302 (oral)</b>	Harmful if swallowed.
<b>H312 (dermal)</b>	Harmful in contact with skin.
<b>H332 (inhalation)</b>	Harmful if inhaled.
<b>H412</b>	Harmful to aquatic life with long lasting effects.
<b>H319</b>	Causes serious eye irritation.
<b>H226</b>	Flammable liquid and vapor.
<b>H315</b>	Causes skin irritation.
<b>H335</b>	May cause respiratory irritation.

**Full text of classifications [CLP/GHS]** :

<b>Acute Tox. 4, H302</b>	ACUTE TOXICITY (oral) - Category 4
<b>Acute Tox. 4, H312</b>	ACUTE TOXICITY (dermal) - Category 4
<b>Acute Tox. 4, H332</b>	ACUTE TOXICITY (inhalation) - Category 4
<b>Aquatic Chronic 3, H412</b>	AQUATIC HAZARD (LONG-TERM) - Category 3
<b>Eye Dam./Irrit. 2, H319</b>	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
<b>Flam. Liq. 3, H226</b>	FLAMMABLE LIQUIDS - Category 3
<b>Skin Corr./Irrit. 2, H315</b>	SKIN CORROSION/IRRITATION -

	Category 2
<b>STOT SE 3, H335</b>	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 3

**Date of printing** : 28.02.2017  
**Date of issue/ Date of revision** : 15.12.2016  
**Date of previous issue** : 00.00.0000  
**Version** : 1.0

**Notice to reader**

**To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.**