

## Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK) SAFETY DATA SHEET

#### **P2V LIGHT MAGENTA**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1 Product identifier

Product no.	:	1320248
Product name	:	P2V LIGHT MAGENTA

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Printing inks, coatings, toners, and related materials

#### Uses advised against: Not Available

#### **1.3** Details of the supplier of the safety data sheet

INX International Ink Co. 150 N Martingale Rd, Suite 700 Schaumburg Illinois 60173 United States e-mail address of person responsible for this SDS 1.4 Emergency telephone number	:	MSDS@inxintl.com
24 Hour Emergency Phone	:	800.535.5053 INFOTRAC 24 Hour Spill and Emergency (+1 352 323 3500 outside of North America)
National advisory body/Poison Cente	<u>er</u>	
Telephone number	:	Not available.
Hours of operation	:	Not available.
Information limitations	:	Not available.

## **SECTION 2: Hazards identification**

#### **2.1** Classification of the substance or mixture

Product definition

: Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317 Repr. 2, H361f (Fertility) Repr. 2, H361d (Unborn child) STOT SE 3, H335 STOT RE 2, H373 Aquatic Chronic 2, H411

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.Ingredients of unknown<br/>ecotoxicityPercentage of the mixture consisting of ingredient(s) of unknown<br/>hazards to the aquatic environment: 49 %

#### Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification	:	Xi, R36/37/38 R43 R52/53
Physical/chemical hazards	:	Not applicable.
Human health hazards	:	Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.
Environmental hazards	:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
See Section 16 for the full text of the	P nl	brases or H statements declared above

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard pictograms	:	
Signal word Hazard statements <u>Precautionary statements</u>	:	Warning Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.
General Prevention Response	:	Read label before use. Obtain special instructions before use. Wear protective gloves. Wear eye or face protection. Avoid release to the environment. Do not breathe vapor. IF INHALED: Remove victim to fresh air and keep at rest in a
Storage Disposal	:	position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

Version: 2.12 Date of issue/Date of revision: 21.05.2015 Date of previous issue: 26.02.2015

Hazard symbol or symbols	:	×
Indication of danger	:	Irritant
Risk phrases	:	R36/37/38 - Irritating to eyes, respiratory system and skin. R43 - May cause sensitization by skin contact. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Safety phrases	:	<ul> <li>S2 - Keep out of the reach of children.</li> <li>S24 - Avoid contact with skin.</li> <li>S37 - Wear suitable gloves.</li> <li>S46 - If swallowed, seek medical advice immediately and show this container or label.</li> </ul>
Hazardous ingredients	:	hexamethylene diacrylate exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate 1-vinylhexahydro-2H-azepin-2-one diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
Supplemental label elements	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirements		
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Yes, applicable.
2.3 Other hazards		
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII	:	Not applicable.
Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	Not applicable.
Other hazards which do not result in classification	:	None known.

## **SECTION 3: Composition/information on ingredients**

<b>3.1</b> Substances	: Not applic	Not applicable			
<b>3.2 Mixtures</b>	: Mixture				
Version: 2.12	Date of issue/Date of revision	21.05.2015	Date of previous issue:	26.02.2015	
version: 2.12	Date of issue/Date of revision:	21.05.2015	Date of previous issue:	20.02.2015	

Product/ingredient name	Identifiers	%	<u>Class</u> 67/548/EEC	<u>ification</u> Regulation (EC) No. 1272/2008 [CLP]	Туре
hexamethylene diacrylate	EC:235-921-9 Index:607-109- 00-8	>=25 - <35	R43 xi; R36/38	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317	[1][2]
exo-1,7,7- trimethylbicyclo[2.2.1]hept- 2-yl acrylate	EC:227-561-6 Index:	>=20 - <25	Xi; R36/37/38 N; R51/53	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Chronic 2, H411	[1]
2-phenoxyethyl acrylate	EC:256-360-6 Index:	>=15 - <20	Xi; R36/38 R43	Skin Sens. 1, H317 Aquatic Chronic 2, H411	[1]
Amine Modified Acrylate Oligomer	EC: Index:	>=12.5 - <15	Xi; R36/38	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319	[1]
1-vinylhexahydro-2H- azepin-2-one	EC:218-787-6 CAS : 2235-00-9 Index:	>=7 - <10	Xn; R21/22 R36	Acute Tox. 4, H302 (oral) Acute Tox. 4, H312 (dermal) Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 1, H372 (liver, respiratory tract)	[1]
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	EC:278-355-8 Index:	>=3 - <5	Not classified.	Repr. 2, H361f Repr. 2, H361d Aquatic Chronic 3, H412	[1]
Poly[oxy(methyl-1,2- ethanediyl)], .alpha.,.alpha.'- (2,2-dimethyl-1,3- propanediyl)bis[.omega[(1- oxo-2-propenyl)oxy]-	EC:617-546-6 Index:	>=1 - <2	R43 xi; R36/38	Skin Sens. 1, H317 Aquatic Chronic 2, H411	[1]
benzophenone	EC:204-337-6 CAS : 119-61-9 Index:	>=0.2 - <1	N; R51/53	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1][2]
Poly[oxy(methyl-1,2- ethanediyl)], .alpha.,.alpha.',.alpha."-1,2,3- propanetriyltris[.omega[(1- oxo-2-propenyl)oxy]-	EC:500-114-5 Index:	>=0.2 - <1	Not classified.	Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400	[1]

#### Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

See Section 16 for the full text of the R phrases or H statements declared above. There are no additional ingredients present which, within the current know applicable, are classified as hazardous to health or the environment and

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### **4.1** Description of first aid measures

Eye contact		diately flush eyes with plenty of water, occasionally lifting the and lower eyelids. Check for and remove any contact lenses.
		nue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remo for bra should appara arrest aid to necess recover	ve victim to fresh air and keep at rest in a position comfortable eathing. If it is suspected that fumes are still present, the rescuer d wear an appropriate mask or self-contained breathing atus. If not breathing, if breathing is irregular or if respiratory occur personnel. It may be dangerous to the person providing give mouth-to-mouth resuscitation. Get medical attention. If sary, call a poison center or physician. If unconscious, place in ery position and get medical attention immediately. Maintain an airway. Loosen tight clothing such as a collar, tie, belt or
	waistb	band. In case of inhalation of decomposition products in a fire, oms may be delayed. The exposed person may need to be kept
		medical surveillance for 48 hours.
Skin contact	and sh remov Get m avoid	with plenty of soap and water. Remove contaminated clothing noes. Wash contaminated clothing thoroughly with water before ring it, or wear gloves. Continue to rinse for at least 10 minutes. edical attention. In the event of any complaints or symptoms, further exposure. Wash clothing before reuse. Clean shoes nghly before reuse.
Ingestion	: Wash to fres materi give s feels s unless head s medic person attenti	out mouth with water. Remove dentures if any. Remove victim oh air and keep at rest in a position comfortable for breathing. If ial has been swallowed and the exposed person is conscious, mall quantities of water to drink. Stop if the exposed person sick as vomiting may be dangerous. Do not induce vomiting a directed to do so by medical personnel. If vomiting occurs, the should be kept low so that vomit does not enter the lungs. Get al attention. Never give anything by mouth to an unconscious h. If unconscious, place in recovery position and get medical ton immediately. Maintain an open airway. Loosen tight ng such as a collar, tie, belt or waistband.
Protection of first-aiders	: No ac suitab rescue appara mouth	tion shall be taken involving any personal risk or without le training. If it is suspected that fumes are still present, the er should wear an appropriate mask or self-contained breathing atus. It may be dangerous to the person providing aid to give n-to-mouth resuscitation. Wash contaminated clothing nghly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

Eye contac Inhalation	t	: May caus	- ·	on. Exposure to decon erious effects may be c	
Version:	2.12	Date of issue/Date of revision:	21.05.2015	Date of previous issue:	26.02.2015

Skin contact Ingestion	:	exposure. Causes skin irritation. May cause an allergic skin reaction. Irritating to mouth, throat and stomach.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	:	Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	:	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
4.3 Indication of any immediate me	edical	attention and special treatment needed
Notes to physician		In case of inhalation of decomposition products in a fire, sw

# Notes to physician:In case of inhalation of decomposition products in a fire, symptoms<br/>may be delayed. The exposed person may need to be kept under<br/>medical surveillance for 48 hours.Specific treatments:No specific treatment.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

4

Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	may burst. This material effects. Fire water contan	In a fire or if heated, a pressure increase will occur and the containe may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be containe and prevented from being discharged to any waterway, sewer or drain.		
Hazardous thermal decomposition products	: Decomposition products carbon dioxide	may include the following materials:		
Version: 2.12 Date of iss	sue/Date of revision: 21.05.2015	Date of previous issue: 26.02.2015		

carbon monoxide nitrogen oxides phosphorus oxides

**5.3** Advice for firefighters

Special protective actions for fire-fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contai operated in positive pressure mode. Clothing for fire-fighters
Additional information		(including helmets, protective boots and gloves basic level of protection for chemical incidents. Not available.
	•	

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note o materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.		
6.3 Methods and materials for cont	tainment and cleaning up		
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	<ul> <li>Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.</li> </ul>		
6.4 Reference to other sections	<ul> <li>See Section 1 for emergency contact information.</li> <li>See Section 8 for information on appropriate personal protective equipment.</li> <li>See Section 13 for additional waste treatment information.</li> </ul>		
Version: 2.12 Date of issu	ue/Date of revision: 21.05.2015 Date of previous issue: 26.02.2015		

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The for any available use-specific information provided in the Exposure Scena

#### 7.1 Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have

Seveso II Directive -	<b>Reporting thresholds</b>
Dongor oritorio	

Category	Notification and MAPP threshold	Safety report threshold
E2: Hazardous to the aquatic environment - Chronic 2	200 kg	500 kg

been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate

containment to avoid environmental contamination.

#### 7.3 Specific end use(s)

Recommendations	:	Not available.
Industrial sector specific	:	Not available.
solutions		

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases. **8.1 Control parameters** 

Date of issue/Date of revision: 21.05.2015

	Exposure limit values			
Product/ingredient name hexamethylene diacrylate	AIHA WEEL (1999-01-01) Notes: AIHA dermal sensitization			
	Time Weighted Average (TWA) 1 mg/m3 MAK-Werte Liste (2002-07-01) Notes: Danger of sensitization of the			
	skin See Section IV: Sensitizing substances			
benzophenone	AIHA WEEL (2003-01-01) Time Weighted Average (TWA) 0.5 mg/m3			
	NIOSH REL (2005-09-30)			
Recommended monitoring	: If this product contains ingredients with exposure limits, personal,			
procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.			
DNEL/DMEL Summary	: Not available.			
PNEC Summary	: Not available.			
<b>8.2</b> Exposure controls				
Appropriate engineering controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process e controls to keep worker exposure to airborne contaminants below any recom			
Individual protection measures				
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical			
Eye/face protection	<ul> <li>products, end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.</li> <li>Safety eyewear complying with an approved standard should be used when a r exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.</li> </ul>			
Skin protection				

Date of issue/Date of revision: 21.05.2015

Version: 2.12

Date of previous issue: 26.02.2015

#### **Occupational exposure limits**

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check duri protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be involved and should be approved by a specialist before handling this prod
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with is necessary. Respirator selection must be based on known or anticipated exposure levels of the selected respirator.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state	:	liquid
Color	:	Pink
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point/freezing point	:	Not available.
Initial boiling point and boiling	:	Not available.
range		
Flash point	:	100 °C
_		
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Upper/lower flammability or	:	Lower: Not available.
explosive limits		<b>Upper:</b> Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	1.01
·		
Solubility(ies)	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Dynamic: Not available.
÷		Kinematic: Not available.

Version:	2.12

Date of issue/Date of revision: 21.05.2015

Explosive properties	:	Not available.
Oxidizing properties	:	Not available.
9.2 Other information		
Volatile.	:	0.62 %(m) Weight % 0.63 %(V) Volume %
VOC %	:	0.03 %(V) Volume % 0.02 %(m) Weight % 0.03 %(V) Volume %
Coating VOC	:	0 lb/gal 0 g/l

## **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b>	:	No specific test data related to reactivity available for this product or its ingredients.
<b>10.2</b> Chemical stability	:	The product is stable.
<b>10.3</b> Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4</b> Conditions to avoid	:	No specific data.
<b>10.5</b> Incompatible materials	:	No specific data.
<b>10.6</b> Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Diacrylate Monomer						
	LD50 Oral	Rat	5,000 mg/kg	-		
Multi-functional Monomer						
	LD50 Oral	Rat	4,890 mg/kg	-		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Monofunctional Monomer						
Amine Modified Acrylate Oli	gomer					
1-Vinylhexahydro-2H-azepin	1-Vinylhexahydro-2H-azepin-2-one					
Photoinitiator						
	LD50 Oral	Rat	5,000 mg/kg	-		
Diacrylate Oligomer	Diacrylate Oligomer					
Benzophenone						
	LD50 Oral	Rat	10,000 mg/kg	-		
	LD50 Dermal	Rabbit	3,535 mg/kg	-		
Triacrylate Monomer						

Conclusion/Summary

: Not available.

Version: 2.12

Date of issue/Date of revision: 21.05.2015

#### Acute toxicity estimates

Not available.

#### Irritation/Corrosion

Conclusion/Summary		
Skin	:	Not available.
Eyes	:	Not available.
Respiratory	:	Not available.
Sensitization		
Conclusion/Summary		
Skin	:	Not available.
Respiratory	:	Not available.
<b>Mutagenicity</b>		
Conclusion/Summary	:	Not available.
<b>Carcinogenicity</b>		
Conclusion/Summary	:	Not available.
<b><u>Reproductive toxicity</u></b>		
Conclusion/Summary	:	Not available.
<b>Teratogenicity</b>		
Conclusion/Summary	:	Not available.

#### Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
exo-1,7,7-	Category 3		Respiratory tract irritation
trimethylbicyclo[2.2.1]hept-2-yl			
acrylate			

#### Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
1-vinylhexahydro-2H-azepin-2-			
one			

<u>Aspiration</u> Not availa						
Information of exposure	n on the likel	y routes :	Not avail	able.		
Potential acu	ıte health eff	<u>ects</u>				
Eye contact Inhalation	t	:	May caus		ation. rritation. Exposure to de ealth hazard. Serious effe	-
Version:	2.12	Date of issue/Date	of revision:	21.05.2015	Date of previous issu	e: 26.02.2015

Skin contact Ingestion	<ul><li>following exposure.</li><li>Causes skin irritation. May cause an allergic skin reaction.</li><li>Irritating to mouth, throat and stomach.</li></ul>
Symptoms related to the physical sector of the sector sect	sical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	<ul> <li>Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations</li> </ul>
Skin contact	: Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Not available.
General	:	May cause damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	Suspected of damaging the unborn child.
Developmental effects Fertility effects	:	No known significant effects or critical hazards. Suspected of damaging fertility.
-		

## **SECTION 12: Ecological information**

Version: 2.12 Date of issue/Date of revision: 21.05.2015 Date of previous issue: 26.02.201	Version:	2.12	Date of issue/Date of revision:	21.05.2015	Date of previous issue:	26.02.2015
--	----------	------	---------------------------------	------------	-------------------------	------------

#### 12.1 Toxicity

Conclusion/Summary	:	Not available.
--------------------	---	----------------

#### **12.2** Persistence and degradability

**Conclusion/Summary** : Not available.

#### **12.3** Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
benzophenone		-	low

#### **12.4** Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Mobility	:	Not available.
12.5 Results of PBT and vPvB assessment	nent	
РВТ	:	P: Not available. B: Not available. T: Not available.
vPvB	:	vP: Not available. vB: Not available.
<b>12.6</b> Other adverse effects	:	No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The for any available use-specific information provided in the Exposure Scena

#### **13.1** Waste treatment methods

#### **Product**

Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all time protection and waste disposal legislation and any regional local authorit Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compli jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	

Methods of disposal	:	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	:	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

Regulatory	Proper shipping	UN -	Hazard	Packing group	Additional
information	name	Number	classification		information
ADN	Environmentally	UN3082	9	III	
	Hazardous				
	Substance, Liquid,				
	n.o.s. (Acrylates)				
ADR	Environmentally	UN3082	9	III	
	Hazardous				
	Substance, Liquid,				
	n.o.s. (Acrylates)				
IATA	Environmentally	UN3082	9	III	
	Hazardous				
	Substance, Liquid,				
	n.o.s. (Acrylates)				
IMDG	Environmentally	UN3082	9	III	
	Hazardous				
	Substance, Liquid,				
	n.o.s. (Acrylates)				
DOT (U.S.A.)	Not Restricted.			-	
(Pictograms)					
Mexico Classification	Not Restricted.			-	
TDG Class	Not Restricted.			-	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH) <u>Annex XIV - List of substances subject to authorization</u> <u>Annex XIV</u>: None of the components are listed.

<u>Substances of very high concern:</u> <u>Other EU regulations</u>

Europe inventory	:	Not determined.
Integrated pollution prevention	:	Not listed
and control list (IPPC) - Air		
Integrated pollution prevention	:	Not listed
and control list (IPPC) - Water		

Aerosol dispensers

Not applicable.

:

#### **Seveso II Directive**

This product is controlled under the Seveso II Directive.

Category	Category					
E2: Hazardous to the aquatic en	viron	ment - Chronic 2				
ational regulations References	:	GHS classifications, symbols, and statements valid; legacy				
		characterisations for conditional use only				
nternational regulations						
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed				
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed				
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed				
5.2 Chemical Safety Assessment	:	This product contains substances for which Chemical Safety Assessments are still required.				

## **SECTION 16: Other information**

Abbreviations and acronyms	:	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative
Key literature references and sources for data	:	GHS classifications, symbols, and statements valid; legacy characterisations for conditional use only

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Corr./Irrit. 2, H315	Calculation method
Eye Dam./Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
Repr. 2, H361f (Fertility)	Calculation method
Repr. 2, H361d (Unborn child)	Calculation method
STOT SE 3, H335	Calculation method
STOT RE 2, H373	Calculation method
Aquatic Chronic 2, H411	Calculation method

Version: 2.12

Date of issue/Date of revision: 21.05.2015

21.05.2015 Date

:

:

## Full text of abbreviated H statements

#### Full text of classifications [CLP/GHS]

H302 (oral)	Harmful if swallowed.
H302 (oral) H312 (dermal)	Harmful in contact with skin.
	Very toxic to aquatic life.
H400 H410	Very toxic to aquatic life with
H410	long lasting effects.
H411	Toxic to aquatic life with long
<b>H</b> 411	lasting effects.
H412	Harmful to aquatic life with long
11412	lasting effects.
H351	Suspected of causing cancer.
H319	Causes serious eye irritation.
H361fd (Fertility, Unborn	Suspected of damaging fertility.
child)	Suspected of damaging for the
chind)	unborn child.
H315	Causes skin irritation.
H317	May cause an allergic skin
	reaction.
H372	Causes damage to organs
	through prolonged or repeated
	exposure.
H373	May cause damage to organs
	through prolonged or repeated
	exposure.
H335	May cause respiratory irritation.
Acute Tox. 4, H302	ACUTE TOXICITY (oral) -
Acute 10x. 4, 11502	Category 4
Acute Tox. 4, H312	ACUTE TOXICITY (dermal) -
	Category 4
Aquatic Acute 1, H400	AQUATIC HAZARD (ACUTE)
• /	- Category 1
Aquatic Chronic 1, H410	AQUATIC HAZARD (LONG-
-	TERM) - Category 1
Aquatic Chronic 2, H411	AQUATIC HAZARD (LONG-
	TERM) - Category 2
Aquatic Chronic 3, H412	AQUATIC HAZARD (LONG-
	TERM) - Category 3
Carc. 2, H351	CARCINOGENICITY -
	Category 2
Eye Dam./Irrit. 2, H319	SERIOUS EYE DAMAGE/
	EYE IRRITATION - Category 2
Repr. 2, H361fd (Fertility,	TOXIC TO REPRODUCTION
Unborn child)	(Fertility, Unborn child) -
Skin Com /Iwit 2 11215	Category 2
Skin Corr./Irrit. 2, H315	SKIN CORROSION/IRRITATION -
	Corrosion/irki1A110N - Category 2
Skin Sens. 1, H317	SKIN SENSITIZATION -
Shin Sens. 1, 11317	Category 1
STOT RE 1, H372	SPECIFIC TARGET ORGAN
5151 RL 1, 1072	TOXICITY (REPEATED
	EXPOSURE) - Category 1
	Lin obortely category i

Full text of abbreviated R phrases	:	STOT RE 2, H373STOT SE 3, H335R21/22- Harmful in contact with sR36- Irritating to eyes.R36/38- Irritating to eyes and skinR36/38- Irritating to eyes, respined and set in the advantion by sR51/53- Toxic to aquatic organismeffects in the aquatic environmentR52/53- Harmful to aquatic organeffects in the aquatic environmentR52/53- Harmful to aquatic organ	iratory system and skin. kin contact. ns, may cause long-term adverse isms, may cause long-term adverse
Full text of classifications [DSD/DPD] Date of printing Date of issue/ Date of revision Date of previous issue Version	:	Xn - Harmful Xi - Irritant N - Dangerous for the environmen 04.06.2015 21.05.2015 26.02.2015 2.12	.t.
Notice to use dow			

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate its subsidiaries, assumes any liability whatsoever for the accuracy or co determination of suitability of any material is the sole responsibility o should be used with caution. Although certain hazards are described herei that exist.